

Full Size C/K HD Pickups and Chassis Cabs

Model Symbol Chart	1
General Information.....	See Light Duty BBM “General Information” section
General Instructions	See Light Duty BBM “General Instructions” section
Camper Loading.....	See Online Order/Ref. Guide–“GM Consumer Info.Truck-Camper Loading”
Pickup Box Removal	See Light Duty BBM “Special Applications – Pickup Box Removal Program” section
Snow Plow Prep. Pkg.....	See Light Duty BBM “Special Applications – Snow Plow Prep Package” section
Trailer Information.	See Light Duty Online Order/Ref. Guide – Light Duty “Trailer Specs”
Model and Option Weights	See Light Duty Online Order/Ref. Guide “Model & Opt. Weights” & “Weight Calculator”

VEHICLE

GENERAL ARRANGEMENT

Regular Cab	3
Double Cab	4
Crew Cab	5
Double Cab	6
Crew Cab	7
Regular Cab Dually	8
Regular Cab – Cab Chassis.....	9
Crew Cab – Cab Chassis	10

BODY, EXTERIOR

CARGO WEIGHT DISTRIBUTION

6’9” Box	11
8’ Box.....	12
Chassis Cab	13

BODY GENERAL ARRANGEMENT

C/K 20/30 (903), Crew Cab 8’ Box.....	14
C/K 20753 Double Cab 6’ 9” Box.....	15
C/K 20/30 (953), Double Cab 8’ Box	16
C/K 20/30 (743), Crew Cab 6’ 9” Box.....	17
C/K 20/30 (943), Crew Cab 8’ Box	18
C/K 30903, Regular Cab 8’ Box DRW	19
C/K 30953, Double Cab 8’ Box DRW	20
C/K 30943, Crew Cab 8’ Box DRW	21

Full Size C/K HD Pickups and Chassis Cabs

PAGE

ii

BODY, EXTERIOR – *continued*

FRONT END CLIPS

C/K 20/30 (03/53/43)	22
----------------------------	----

HOOD OPENING

C/K 20/30 (03/53/43)	23
----------------------------	----

SIGN AREA

Regular Cab Pickup – C/K100/200/300 (03)	24
Extended Cab Pickup – C/K100/200/300 (53)	25
Crew Cab Pickup – C/K 100/200/300 (43)	26

CAB STEP IN HEIGHTS

Regular Cab (03)	27
Extended Cab (53)	28
Crew Cab (43)	29

MIRRORS, OUTSIDE REARVIEW

C/K 2000 / 3000 Base D31/DLF & Opt. Trailering DUD,DBG,DWI,DZC Mirrors, Outside Rear-view.....	30
--	----

CHMSL AND ANTENNA

CHMSL and Antenna	31
-------------------------	----

CAB PRESSURE VALVE ASSEMBLY

Rear Quarter Body Panel	32
-------------------------------	----

PICKUP BOX

Length and Width Dimension for Pickup Box – Al	33
--	----

CAB INTERIOR

SEATING POSITION AND H-POINT 1ST ROW FRONT VIEW PICKUPS

C/K 200/300 (03/53/43)	34
C/K 200/300 (03/53/43)	35

Full Size C/K HD Pickups and Chassis Cabs

CAB INTERIOR –continued

SEATING POSITION AND H-POINT SIDE VIEW PICKUPS

C/K 200/300 (03/53/43)	36
------------------------------	----

SEAT MOUNTING HOLES LOCATIONS – FLOOR

C/K 200/300 (03/53/43)	37
------------------------------	----

CHASSIS

DATUM HOLE LOCATION

C/K 200/300 (00).....	38
-----------------------	----

FRAME RAIL AND CROSSMEMBER LOCATIONS

C/K 20/30743	39
C/K 20/30903	40
C/K 20/30753	41
C/K 20/30953	42
C/K 20/30743	43
C/K 20/30943	44
C/K 31003	45
C/K 31403	46
C/K 31043	47

SPARE TIRE LOCATION

C/K 20/3000 Series Pickups.....	48
---------------------------------	----

PLATFORM HITCH

C/K 20/30 (03/53/43) Platform Hitch/GCWR.....	49
---	----

FRONT AXLE/TIRE DATA DRAWING

C/K 20/30 (000) Pickups and C/K 31 (000) Chassis-Cab.....	50
C/K 20/30 (000) Pickups and C/K 31 (000) Chassis-Cab.....	51

REAR AXLE/TIRE DATA DRAWING

C/K 20/30(000) Pickups.....	52
C/K 31(000)Chassis Cab	53
C/K 20/30(000) Pickups & Chassis Cab.....	54

Full Size C/K HD Pickups and Chassis Cabs

CHASSIS – *continued*

FUEL TANK & FILLER LOCATION

Fuel Tank (NM2) & Filler Location C/K 20/30903 L8T (Gas) Pickup	55
DEF – Fuel Tanks (NM2) & Filler Location C/K 20/30903 L5P (Diesel) Pickup	56
Fuel Tanks (NM2) & Filler Locations C/K 20/30743-53 L8T (Gas) Pickup	57
DEF – Fuel Tanks (NM2) & Filler Locations C/K 20/30743-53 L5P (Diesel) Pickup	58
Fuel Tank (N2N) & Filler Locations C/K 31003/043 L8T (Gas) Chassis Cab	59
DEF – Fuel Tank (N2N) & Filler Locations C/K 31003/043 L5P (Diesel) Chassis Cab	60
Fuel Tank (N2N) & Fuel Filler Locations C/K 31403 L8T (Gas) Chassis Cab	61
DEF – Fuel Tank (N2N) & Fuel Filler Locations C/K 31403 L5P (Diesel) Chassis Cab	62

EXHAUST SYSTEM

L8T (Gas) C/K 20/30 Series Pickups	63
L5P (Diesel) C/K 20/30 Series Pickups	64
L8T (Gas) C/K 20/30 Series (ZW9) Pickups	65
L5P (Diesel) C/K 20/30 Series (ZW9) Pickups	66
L8T (Gas) C/K 31003 Series Chassis Cab	67
L5P (Diesel) C/K 31003 Series Chassis Cab	68
L8T (Gas) C/K 31403 Series Chassis Cab	69
L5P (Diesel) C/K 31403 Series Chassis Cab	70
L8T (Gas) C/K 31403 Series Chassis Cab	71
L5P (Diesel) C/K 31403 Series Chassis Cab	72

MISC.

Integrated – PTO 20/30 Series (MGU) Pickups & Chassis Cab	73
---	----

Full Size C/K HD Pickups and Chassis Cabs

PAGE

1

Model Symbol Chart

ENGINEERING MODEL	REGULAR CABS (03) 2 DOOR CHEVROLET / GMC		DOUBLE CABS (53) 4 DOOR CHEVROLET / GMC		CREW CABS (43) 4 DOOR CHEVROLET / GMC		GVWR (kg/lbs) GAS (L8T)	GVWR (kg/lbs) DIESEL (L5P)	WHEELBASE (mm/in)	CAB-TO-AXLE (mm/in)
C207-SRW			E63, 6.9" BOX				4491/9,900- 4649/10,250	4491/9,900- 4944/10,900	3795/149.4	1070.0/42.1
					E63, 6.9" BOX		4491/9,900- 4695/10,350	4491/9,900- 5012/11,050	4036/158.9	1070.0/42.1
C209-SRW C209 - ZW9	E63, 8.0" BOX	ZW9					4491/9,900- 4604/10,150	4491/9,900- 4876/10,750	3594/141.5	1403.0/55.2
			E63, 8.0" BOX	ZW9			4491/9,900- 4717/10,400	4491/9,900- 5035/11,100	4128/162.5	1403.0/55.2
					E63, 8.0" BOX	ZW9	4491/9,900- 4763/10,500	4491/9,900- 5080/11,200	4369/172	1403.0/55.2
C307-SRW					E63, 6.9" BOX		4990/11,000	5330/11,750	4061/158.9	1070.0/42.1
C309-SRW C309 - ZW9	E63, 8.0" BOX	ZW9					4876/10,750	5216/11,500	3594/141.5	1403.0/55.2
			E63, 8.0" BOX	ZW9			5035/11,100	5375/11,850	4128/162.5	1403.0/55.2
					E63, 8.0" BOX	ZW9	5058/11,150	5398/11,900	4369/172	1403.0/55.2
C309-DRW C309 - ZW9	E63, 8.0" BOX	ZW9					6350/14,000	6350/14,000	3594/141.5	1403.0/55.2
			E63, 8.0" BOX	ZW9			6350/14,000	6350/14,000	4128/162.5	1403.0/55.2
					E63, 8.0" BOX	ZW9	6350/14,000	6350/14,000	4369/172	1403.0/55.2
C310-DRW		ZW9		N/A			6350/14,000	6350/14,000	3716/146.3	1524.0/60.0
				N/A		ZW9	6350/14,000	6350/14,000	4490/176.8	1524.0/60.0
C314-DRW		ZW9		N/A			6350/14,000	6350/14,000	4338/170.8	2146.0/84.5

E63 – Fleetside / Wideside Box (5' 8", 6.9' and 8' Boxes)

ZW9 – ChassisCab & Pickups w/Factory Box Delete ('Box Removal' APPROVED- See "Special Applications")

EXAMPLE: C20903 = 2 DOOR REGULAR CAB / FLEETSIDE/WIDESIDE / 8' BOX

Full Size C/K HD Pickups and Chassis Cabs

Model Symbol Chart (continued)

ENGINEERING MODEL	REGULAR CABS (03) 2 DOOR CHEVROLET / GMC		DOUBLE CABS (53) 4 DOOR CHEVROLET / GMC		CREW CABS (43) 4 DOOR CHEVROLET / GMC		GVWR (kg/lbs) GAS (L8T)	GVWR (kg/lbs) DIESEL (L5P)	WHEELBASE (mm/in)	CAB-TO-AXLE (mm/in)
K207-SRW			E63, 6.9" BOX				4491/9900-4785/10,550	4491/9900-5080/11,200	3795/149.4	1070.0/42.1
					E63, 6.9" BOX		4491/9900-4831/10,650	4491/9900-5103/11,250	4036/158.9	1070.0/42.1
K209-SRW K209 - ZW9	E63, 8.0" BOX	ZW9					4491/9900-4740/10,450	4491/9900-5035/11,100	3594/141.5	1403.0/55.2
			E63, 8.0" BOX	ZW9			4491/9900-4876/10,750	4491/9900-5194/11,450	4128/162.5	1403.0/55.2
					E63, 8.0" BOX	ZW9	4491/9900-4921/10,850	4491/9900-5239/11,550	4369/172	1403.0/55.2
K307-SRW					E63, 6.9" BOX		5148/11,350	5488/12,100	4061/158.9	1070.0/42.1
K309-SRW K309 - ZW9	E63, 8.0" BOX	ZW9					5035/11,100	5352/11,800	3594/141.5	1403.0/55.2
			E63, 8.0" BOX	ZW9			5171/11,400	5511/12,150	4128/162.5	1403.0/55.2
					E63, 8.0" BOX	ZW9	5216/11,500	5557/12,250	4369/172	1403.0/55.2
K309-DRW K309 - ZW9	E63, 8.0" BOX	ZW9					6350/14,000	6350/14,000	3594/141.5	1403.0/55.2
			E63, 8.0" BOX	ZW9			6350/14,000	6350/14,000	4128/162.5	1403.0/55.2
					E63, 8.0" BOX	ZW9	6350/14,000	6350/14,000	4369/172	1403.0/55.2
K310-DRW		ZW9	N/A				6350/14,000	6350/14,000	3716/146.3	1524.0/60.0
				N/A		ZW9	6350/14,000	6350/14,000	4490/176.8	1524.0/60.0
K314-DRW		ZW9	N/A		N/A		6350/14,000	6350/14,000	4338/170.8	2146.0/84.5


E63 – Fleetside / Wideside Box (5' 8", 6.9' and 8' Boxes)

ZW9 – Chassis Cab & Pickups w/Factory Box Delete ('Box Removal' APPROVED - See "Special Applications")

Full Size C/K HD Pickups and Chassis Cabs

PAGE 3


Regular Cab – General Arrangement



Full Size C/K HD Pickups and Chassis Cabs

PAGE 4

Double Cab – General Arrangement



GENERAL ARRANGEMENT C/K 20753, 6'9" BOX CHEVY


[]=INCHES

ANB32122.8

Full Size C/K HD Pickups and Chassis Cabs

PAGE 5


Crew Cab – General Arrangement



Full Size C/K HD Pickups and Chassis Cabs

PAGE 6

Double Cab – General Arrangement



GENERAL ARRANGEMENT C/K 20930953, 8' BOX, CHEVY


[]=INCHES

ANB32122.8

Full Size C/K HD Pickups and Chassis Cabs

PAGE 7

Crew Cab – General Arrangement



GENERAL ARRANGEMENT C/K 20930943, 8'0" BOX, CHEVY


[]=INCHES

ANB32122.7

Full Size C/K HD Pickups and Chassis Cabs

PAGE 8


Regular Cab Dually – General Arrangement



Full Size C/K HD Pickups and Chassis Cabs

PAGE 9


Regular Cab – Cab Chassis – General Arrangement



Full Size C/K HD Pickups and Chassis Cabs


PAGE 10

Crew Cab – Cab Chassis – General Arrangement



Full Size C/K HD Pickups and Chassis Cabs

Body/Cargo Weight Distribution 6'9" Box



MODEL	L101(WB)	L404(CA)	L504(CB)	L507(BL)	BODY/CARGO WEIGHT DISTRIBUTION	
					% FRONT AXLE	% REAR AXLE
CK2520753	4037.0 [158.94"]	1071.0 [42.16"]	25.4 [1.0"]	2333.9 [91.9"]	1	99
CK2030743	3795.0 [149.41"]	1071.0 [42.16"]	25.4 [1.0"]	2333.9 [91.9"]	1	99

NOTE : DIMENSIONS SHOWN ARE NOMINAL.
 L404 = TO REAR AXLE DIMENSION
 L504 = CLEARANCE BETWEEN BODY AND CAB
 L507 = LENGTH
 L101 = WHEELBASE

$$\frac{\text{CENTER OF GRAVITY PAYLOAD TO REAR AXLE}}{\text{WHEELBASE}} \times 100 = \% \text{ BODY PAYLOAD AT FRONT AXLE}$$

$$\frac{L404 - L504 - (L507/2)}{L101(WB)} \times 100 = \% \text{ BODY PAYLOAD AT FRONT AXLE}$$

BODY/CARGO WEIGHT DISTRIBUTION CK200/300 03/43/53, 6'9" BOX.


[]=INCHES

ANC07766.3

Full Size C/K HD Pickups and Chassis Cabs

PAGE 12

Body/Cargo Weight Distribution 8' Box



					BODY/CARGO WEIGHT DISTRIBUTION	
MODEL	L101(WB)	L404(CA)	L504(CB)	L507(BL)	% FRONT AXLE	% REAR AXLE
CK20903 CK30903	3595.0 [141.53"]	1403.0 [55.24"]	25.4 [1.0"]	2740.9 [107.91"]	3	97
CK20943 CK30943	4369.0 [172.00"]	1403.0 [55.24"]	25.4 [1.0"]	2740.9 [107.91"]	3	97
CK20953 CK30953	4127.0 [162.48"]	1403.0 [55.24"]	25.4 [1.0"]	2740.9 [107.91"]	3	97

NOTE : DIMENSIONS SHOWN ARE NOMINAL.
 L404 = TO REAR AXLE DIMENSION
 L504 = CLEARANCE BETWEEN BODY AND CAB
 L507 = LENGTH
 L101 = WHEELBASE

$$\frac{\text{CENTER OF GRAVITY PAYLOAD TO REAR AXLE}}{\text{WHEELBASE}} \times 100 = \% \text{ BODY PAYLOAD AT FRONT AXLE}$$

$$\frac{L404 - L504 - (L507/2)}{L101(WB)} \times 100 = \% \text{ BODY PAYLOAD AT FRONT AXLE}$$

BODY/CARGO WEIGHT DISTRIBUTION CK200/300 03/43/53, 8.0' BOX.


[]=INCHES

ANC07766.5

Full Size C/K HD Pickups and Chassis Cabs

PAGE 13

Body/Cargo Weight Distribution Chassis Cab



BODY PAYLOAD DISTRIBUTION % FRONT / REAR									
BODY LENGHT-FEET									
MODEL	L101(WB)	L404(CA)	L504(CB)	8	9	10	11	12	13
CK 3003	3716.0 [146.29"]	1524.0 [60.00"]	76.2 [3.0"]	7/93	2/98				
CK 3043	4490.0 [176.77"]	1524.0 [60.00"]	76.2 [3.0"]	6/94	2/98				
CK 3403	4338.0 [170.78"]	2146.0 [84.49"]	76.2 [3.0"]	21/79	17/83	14/86	10/90	6/94	2/98
WITH 24 INCH COMPARTMENT CAB									
CK 3003	3716.0 [146.29"]	1524.0 [60.00"]	76.2 [3.0"]	6/94	1/99				
CK 3043	4490.0 [176.77"]	1524.0 [60.00"]	76.2 [3.0"]	5/95	1/99				
CK 3403	4338.0 [170.78"]	2146.0 [84.49"]	76.2 [3.0"]	20/80	16/84	12/88	9/91	5/95	1/99

CENTER OF GRAVITY PAYLOAD TO REAR AXLE

$$\frac{\text{WHEELBASE}}{\text{WHEELBASE}} \times 100 = \% \text{ BODY PAYLOAD AT FRONT AXLE}$$

$$L404 - L504 - (L507/2)$$

$$\frac{\text{L101(WB)}}{\text{L101(WB)}} \times 100 = \% \text{ BODY PAYLOAD AT FRONT AXLE}$$

NOTE : DIMENSIONS SHOWN ARE NOMINAL.

L404 = TO REAR AXLE DIMENSION

L504 = CLEARANCE BETWEEN BODY AND CAB

L507 = LENGTH

L101 = WHEELBASE

BODY/CARGO WEIGHT DISTRIBUTION CK 3403 03/53, CHASSIS CAB.


[]=INCHES

ANC07766.6

Full Size C/K HD Pickups and Chassis Cabs

PAGE 14


C/K 20/30 (903), Regular Cab 8' Box – Body General Arrangement



Full Size C/K HD Pickups and Chassis Cabs

PAGE 15


C/K 20753 Double Cab 6' 9" Box – Body General Arrangement



Full Size C/K HD Pickups and Chassis Cabs

PAGE 16


C/K 20/30 (953), Double Cab 8' Box – Body General Arrangement



Full Size C/K HD Pickups and Chassis Cabs

PAGE 17


C/K 20/30 (743), Crew Cab 6' 9" Box – Body General Arrangement



Full Size C/K HD Pickups and Chassis Cabs

PAGE 18


C/K 20/30 (943), Crew Cab 8' Box – Body General Arrangement



Full Size C/K HD Pickups and Chassis Cabs

PAGE 19


C/K 30903, Regular Cab 8' Box DRW – Body General Arrangement



Full Size C/K HD Pickups and Chassis Cabs

PAGE 20


C/K 30953, Double Cab 8' Box DRW – Body General Arrangement



Full Size C/K HD Pickups and Chassis Cabs

PAGE 21





C/K 30943, Crew Cab 8' Box DRW – Body General Arrangement



Full Size C/K HD Pickups and Chassis Cabs

PAGE 22

C/K 20/30 (03/53/43) – Front End Clips



CHEVROLET C/K 20/30 03/43/53

CK 20/30 & X88/Z88

GMC C/K 20/30 03/43/53


[]=INCHES

ANB43157.4

Full Size C/K HD Pickups and Chassis Cabs


PAGE 23

C/K 20/30 (03/53/43) – Hood Openings



CK 20/30 X88: CHEVROLET

CK 20/30 & X88/Z88



CK 20/30 Z88: GMC


CB []=INCHES

ANC48308.4

Full Size C/K HD Pickups and Chassis Cabs

PAGE 24

Regular Cab Pickup – C/K 100/200/300 (03) – Sign Area



REGULAR CAB SIGN AREA CK20/30903 SHOWN


[]=INCHES

ANC41481.6

Full Size C/K HD Pickups and Chassis Cabs

PAGE 25

Extended Cab Pickup – C/K 100/200/300 (53) – Sign Area



TRUCK DOUBLE CAB SIGN AREA 20/30753 SHOWN


[]=INCHES

ANC41481.7

Full Size C/K HD Pickups and Chassis Cabs

PAGE 26

Crew Cab Pickup – C/K 100/200/300 (43) – Sign Area



TRUCK CREW CAB SIGN AREA 20/30743 SHOWN


[]=INCHES

ANC41481.7

Full Size C/K HD Pickups and Chassis Cabs

PAGE 27

Regular Cab (03) – Cab Step in Heights



CK 20903 SHOWN

MODEL	L101 (WB)	H130 -1	A106 -1	A147	A106 -2
CK 20903	3594 (141.5)	683 (26.8)	24	20.3	21.3
CK 30903	3594 (141.5)	691 (27.2)	24.5	21	21.9
CK 31003	3713 (146.3)	696 (27.4)	23.7	20.8	29
CK 31403	4338 (170.8)	689 (27.1)	23.8	18.8	28.7

*Completed Vehicle

STEP IN HEIGHT FOR CK200300 03

BASE VEHICLE @ CURB


[]=INCHES

ANC10189.3

Full Size C/K HD Pickups and Chassis Cabs

PAGE 28

Extended Cab (53) – Cab Step in Heights



MODEL	L101(WB)	H130-1	H130-2	A106-1	A147	A106-2
CK 20753	3795 (149.4)	679 (26.7)	686 (27.0)	24	19.5	22.2
CK 20953	4128 (162.5)	676 (26.6)	682 (26.8)	24.1	18.6	20.8
CK 30953	4128 (162.5)	685 (26.9)	714 (28.11)	26.3	20.4	22

*Completed Vehicle

STEP IN HEIGHT FOR CK200300 53

BASE VEHICLE @ CURB


[]=INCHES

ANC10189.4

Full Size C/K HD Pickups and Chassis Cabs

PAGE 29

Crew Cab (43) – Cab Step in Heights



CK 20743 SHOWN

MODEL	L101 (WB)	H130-1	H130-2	A106-1	A147	A106-2
CK 20743	4036 (158.9)	676 (26.6)	687 (27.0)	24.1	18.7	21.9
CK 30743	4061 (158.9)	703 (27.6)	714 (28.1)	26.3	20.7	23.2
CK 30943	4369 (172)	700 (27.5)	709 (27.9)	26.4	19.8	21.7
CK 31043	4490 (176.8)	687 (27.0)	704 (27.7)	24	18.5	28.4

*Completed Vehicle

STEP IN HEIGHT FOR CK200300 43

BASE VEHICLE @ CURB


[]=INCHES

ANC10189.5

Full Size C/K HD Pickups and Chassis Cabs


PAGE 30

C/K 2000 / 3000 Base D31/DLF & Opt. Trailering DUD,DBG,DWI,DZC Mirrors, Outside Rear-view



2157.0 (84.9) Base D31/DLF
W145 (FOLDED)
2673.2 (105.2) Opt. Trailering DUD,DBG,DWI,DZC
W145 (RETRACTED)

* CL8 CHEVY TRUCK 20/30 SERIES



2157.0 (84.9) Base D31/DLF
W145 (FOLDED)
2673.2 (105.2) Opt. Trailering DUD,DBG,DWI,DZC
W145 (RETRACTED)

* CL8 GMC TRUCK 20/30 SERIES

ALL DIMENSIONS SHOWN FOR CHEVY
BASE MODEL UNLESS OTHERWISE NOTED

CK 2000 3000 SERIES TRUCK


[]=INCHES

ANC22057.5

Full Size C/K HD Pickups and Chassis Cabs

PAGE 31

CHMSL and Antenna



2800/3000 SERIES CHV/CCK


[]=INCHES

ANC26550.3

Full Size C/K HD Pickups and Chassis Cabs

PAGE 32


Rear Quarter Body Panel – Cab Pressure Valve Assembly



Full Size C/K HD Pickups and Chassis Cabs

PAGE 33


Length and Width Dimension for Pickup Box – All



Full Size C/K HD Pickups and Chassis Cabs

PAGE 34

Seating Position and H-Point 1st Row Front View Pickups – C/K 200/300 (03/53/43)



FRONT SEAT 40/20/40
CK 200/300 (03/43/53)

GENERAL ARRANGEMENT CHEVY CK200/300


[]=INCHES

ANC 32358.3

Full Size C/K HD Pickups and Chassis Cabs

PAGE 35

Seating Position and H-Point 2nd Row Front View Pickups – C/K 200/300 (03/53/43)



GENERAL ARRANGEMENT CHEVY CK200/300


[]=INCHES

ANC 32358.4


Full Size C/K HD Pickups and Chassis Cabs

PAGE 36

Seating Position and H-Point Side View Pickups – C/K 200/300 (03/53/43)



CK200/300 53 SHOWN



CK 200/300 43 SHOWN

GENERAL ARRANGEMENT CHEVY CK200/300

[]=INCHES

ANC 32358.5

PAGE 37

[illegible]


[]=INCHES

ANB51264.3

Full Size C/K HD Pickups and Chassis Cabs

PAGE 38

C/K 200/300 (00) – Datum Hole Location



GMT CK 20/30 FRAME DATUM LOCATION


[]=INCHES

ANC30752.3

Full Size C/K HD Pickups and Chassis Cabs

PAGE 39

C/K 20/30743 – Frame Rail and Crossmember Locations




[]=INCHES

ANB34864.6

Full Size C/K HD Pickups and Chassis Cabs

PAGE 40

C/K 20/30903 – Frame Rail and Crossmember Locations



C/K 20/30903


[]=INCHES

ANB34864.7

Full Size C/K HD Pickups and Chassis Cabs

PAGE 41

C/K 20/30753 – Frame Rail and Crossmember Locations



C/K 20/30753


[]=INCHES

ANB34864.12

Full Size C/K HD Pickups and Chassis Cabs

PAGE 42

C/K 20/30953 – Frame Rail and Crossmember Locations



C/K 20/30953


INCHES

ANB34864.12

Full Size C/K HD Pickups and Chassis Cabs

PAGE 43

C/K 20/30743 – Frame Rail and Crossmember Locations




C/K 20/30743

ANB34864.17

Full Size C/K HD Pickups and Chassis Cabs

PAGE 44

C/K 20/30943 – Frame Rail and Crossmember Locations



C/K 20/30943


[]=INCHES

ANB34864.17

Full Size C/K HD Pickups and Chassis Cabs

PAGE 45

C/K 31003 – Frame Rail and Crossmember Locations



C/K 31003


[]=INCHES

ANB34864.17

Full Size C/K HD Pickups and Chassis Cabs

PAGE 46

C/K 31403 – Frame Rail and Crossmember Locations



C/K 31403


[]=INCHES

ANB34864.17

Full Size C/K HD Pickups and Chassis Cabs

PAGE 47

C/K 31043 – Frame Rail and Crossmember Locations



C/K 31043


[]=INCHES

ANB34864.17

Full Size C/K HD Pickups and Chassis Cabs

PAGE 48

C/K 20/3000 Series Pickups – Spare Tire Location



SPARE TIRE TRUCK 20/3000 SERIES

[]=INCHES

ANC39360.4

Full Size C/K HD Pickups and Chassis Cabs


PAGE 49

C/K 20/30 (03/53/43) Platform Hitch/GCWR

2020 VEHICLE W / TRAILER RATING

SERIES	ENGINE	GCWR	TRANS-RPO
200	L8T	24,000 LBS	MYD
200	L5P	27,500 LBS	MGM
300	L8T	24,000 LBS	MYD
300	L5P	29,700 LBS	MGM
*300	L8T	24,000 LBS	MYD
*300	L5P	40,000 LBS	MGM
*310	L8T	24,000 LBS	MYD
*310	L5P	40,000 LBS	MGM

* DUAL REAR WHEEL(DRW)



C/K 20/30 03/43/53


[]=INCHES

ANB84248.3

Full Size C/K HD Pickups and Chassis Cabs

PAGE 50

Front Axle/Tire Data Drawing – C/K 20/30 (000) Pickups and C/K 31 (000) Chassis-Cab



VYU = SNOW PLOW

ZW9 = BODY EQUIPMENT BASE BODY OR CHASSIS

Z85 = CHASSIS PACKAGE INCREASED CAPACITY

Z83 = CHASSIS PACKAGE SMOOTH RIDE

E63 = BODY EQUIPMENT FLEETSIDE PICKUP BOX

Z71 = CHASSIS PACKAGE OFF ROAD

GTU = AXLE WIDE TRACK

*MINIMUM GROUND CLEARANCE TO BE
CALCULATED BY USING GROSS AXLE
WEIGHT AND RECOMMENDED TIRE PRESSURE

200/300 SERIES FRONT AXLE/TIRE DATA

[]=INCHES

ANB46140.4

Full Size C/K HD Pickups and Chassis Cabs

PAGE 51

Front Axle/Tire Data Drawing – C/K 20/30(000) Pickups and C/K 31(000) Chassis-Cabs

SERIES	Tire RPOs	SLR	WHEEL/AXLE					TIRE			H148-1 Ground Clearance
			Size	Offset	Rear Wheel	W102-1 Track	W101-1 Tread Width	Size	Max Width	Max GVWR	
CK20753	QHQ,ZHQ-ALS/QXT,ZXT-AT	378/383	17x7.5	44	Single	1738	1731.4	LT245/75,265/70R17E	266/281	10,900	240
CK20743	QHQ,ZHQ-ALS/QXT,ZXT-AT	378/383	17x7.5	44	Single	1738	1731.4	LT245/75,265/70R17E	266/281	11,050	242
CK20903	QHQ,ZHQ-ALS/QXT,ZXT-AT	378/383	17x7.5	44	Single	1738	1731.4	LT245/75,265/70R17E	266/281	10,750	242
CK20953	QHQ,ZHQ-ALS/QXT,ZXT-AT	378/383	17x7.5	44	Single	1738	1731.4	LT245/75,265/70R17E	266/281	11,100	239
CK20943	QHQ,ZHQ-ALS/QXT,ZXT-AT	378/383	17x7.5	44	Single	1738	1731.4	LT245/75,265/70R17E	266/281	11,200	239
CK20753	QF6,ZYG-AT	401	18x8	44	Single	1738	1731.4	LT275/70R18E	293	10,900	240
CK20/30743	QF6,ZYG-AT	401	18x8	44	Single	1738	1731.4	LT275/70R18E	293	11,050/11,750	242/266
CK20/30903	QF6,ZYG-AT	401	18x8	44	Single	1738	1731.4	LT275/70R18E	293	10,750/11,500	242/268
CK20/30953	QF6,ZYG-AT	401	18x8	44	Single	1738	1731.4	LT275/70R18E	293	11,100/11,850	239/266
CK20/30943	QF6,ZYG-AT	401	18x8	44	Single	1738	1731.4	LT275/70R18E	293	11,200/11,900	239/265
CK20753	QF9	413	20x8.5	47	Single	1738	1731.4	LT275/65R20E	298	10,900	240
CK20/30743	QF9	413	20x8.5	47	Single	1738	1731.4	LT275/65R20E	298	11,050/11,750	242/266
CK20/30903	QF9	413	20x8.5	47	Single	1738	1731.4	LT275/65R20E	298	10,750/11,500	242/268
CK20/30953	QF9	413	20x8.5	47	Single	1738	1731.4	LT275/65R20E	298	11,100/11,850	239/266
CK20/30943	QF9	413	20x8.5	47	Single	1738	1731.4	LT275/65R20E	298	11,200/11,900	239/265
CK30903	QTZ,ZZT-AT/QQO,ZQO-ALS	384/382	17x6.5	137	Dual	1748	1741.3	LT235/80R17E	247	14,000	248
CK30953	QTZ,ZZT-AT/QQO,ZQO-ALS	384/382	17x6.5	137	Dual	1748	1741.3	LT235/80R17E	247	14,000	246
CK30943	QTZ,ZZT-AT/QQO,ZQO-ALS	384/382	17x6.5	137	Dual	1748	1741.3	LT235/80R17E	247	14,000	246
CK31003	QTZ,ZZT-AT/QQO,ZQO-ALS	384/382	17x6.5	137	Dual	1748	1741.3	LT235/80R17E	247	14,000	244
CK31043	QTZ,ZZT-AT/QQO,ZQO-ALS	384/382	17x6.5	137	Dual	1748	1741.3	LT235/80R17E	247	14,000	243
CK31403	QTZ,ZZT-AT/QQO,ZQO-ALS	384/382	17x6.5	137	Dual	1748	1741.3	LT235/80R17E	247	6	242



SLR = C/L FRONT Axle at EPA (Avg of Min/Max Curb, base equipment)

METRIC CONVERSION TO INCHES
MM / 25.4 = INCHES

Full Size C/K HD Pickups and Chassis Cabs

PAGE 52

Rear Axle/Tire Data Drawing – C/K 20/30(000) Pickups



SECTION C-C
ROTATED 90°

$$A = \text{TRACK} + F$$

$$B = \text{TRACK} - F$$

VYU = SNOW PLOW
ZW9 = BODY EQUIPMENT BASE BODY OR CHASSIS
Z85 = CHASSIS PACKAGE INCREASED CAPACITY
E63 = BODY EQUIPMENT FLEETSIDE PICKUP BOX
Z71 = CHASSIS PACKAGE OFF ROAD

RING GEAR	G
[11.5] DIA.	191.5 [7.54]

* MAX GROWN TIRE RADIUS ON NARROWEST RIM
** MAX GROWN TIRE WIDTH ON WIDEST RIM
TIRE CHAINS NOT INCLUDED

TRUCKS REAR AXLE/TIRE DATA 200/300 SERIES



[]=INCHES

ANB46140.4

Full Size C/K HD Pickups and Chassis Cabs

PAGE 53

Rear Axle/Tire Data Drawing – C/K 31(000) Chassis Cab



SECTION D-D
ROTATED 90°

VYU = SNOW PLOW
ZW9 = BODY EQUIPMENT BASE BODY OR CHASSIS
Z85 = CHASSIS PACKAGE INCREASED CAPACITY
E63 = BODY EQUIPMENT FLEETSIDE PICKUP BOX
Z71 = CHASSIS PACKAGE OFF ROAD
GTU = AXLE WIDE TRACK

RING GEAR	G
[11.5] DIA.	191.5 [7.54]
[11.5] DIA.	186.5 [7.34]

* GTY 3100 SERIES
* GTY 3100 SERIES

* MAX GROWN TIRE RADIUS
** MAX GROWN TIRE WIDTH

SINGLE WHEELS
A = TRACK + F
B = TRACK - F

DUAL WHEELS
A = TRACK + F
B = TRACK - F

Full Size C/K HD Pickups and Chassis Cabs

PAGE 54

Rear Axle/Tire Data Chart – C/K 20/30(000) Pickups & Chassis Cab

SERIES	Tire RPOs	SLR	WHEEL/AXLE					TIRE			B' / wGTY	JOUNCE				GROUND		
			Size	Offset	Rear Wheel	W102-2 Track	W101-2 Max Tread	Size	F' Max Width	Max GVWR		C' / wGTY	D'	E'	H'	H148-2	H156	H E'
CK20753	QHQ,ZHQ-ALS/QXT,ZXT-AT	378/383	17x7.5	44	Single	1736	1736	LT245/75,265/70R17E	266/281	10,900	1452	142.6	199.5	399.5	n/a	198	259	860
CK20743	QHQ,ZHQ-ALS/QXT,ZXT-AT	378/383	17x7.5	44	Single	1736	1736	LT245/75,265/70R17E	266/281	11,050	1452	142.6	199.5	399.5	n/a	197	257	860
CK20903	QHQ,ZHQ-ALS/QXT,ZXT-AT	378/383	17x7.5	44	Single	1736	1736	LT245/75,265/70R17E	266/281	10,750	1452	142.6	199.5	399.5	n/a	199	259	860
CK20953	QHQ,ZHQ-ALS/QXT,ZXT-AT	378/383	17x7.5	44	Single	1736	1736	LT245/75,265/70R17E	266/281	11,100	1452	142.6	199.5	399.5	n/a	220	200	860
CK20943	QHQ,ZHQ-ALS/QXT,ZXT-AT	378/383	17x7.5	44	Single	1736	1736	LT245/75,265/70R17E	266/281	11,200	1452	142.6	199.5	399.5	n/a	197	257	860
CK20753	QF6,ZYG-AT	401	18x8	44	Single	1736	1736	LT275/70R18E	293	10,900	1427	TBD	TBD	TBD	n/a	TBD	TBD	879
CK20/30743	QF6,ZYG-AT	401	18x8	44	Single	1736	1736	LT275/70R18E	293	11,050/11,750	1427	TBD	TBD	TBD	n/a	TBD	TBD	879
CK20/30903	QF6,ZYG-AT	401	18x8	44	Single	1736	1736	LT275/70R18E	293	10,750/11,500	1427	TBD	TBD	TBD	n/a	TBD	TBD	879
CK20/30953	QF6,ZYG-AT	401	18x8	44	Single	1736	1736	LT275/70R18E	293	11,100/11,850	1427	TBD	TBD	TBD	n/a	TBD	TBD	879
CK20/30943	QF6,ZYG-AT	401	18x8	44	Single	1736	1736	LT275/70R18E	293	11,200/11,900	1427	TBD	TBD	TBD	n/a	TBD	TBD	879
CK20753	QF9	413	20x8.5	47	Single	1736	1736	LT275/65R20E	298	10,900	1411	TBD	TBD	TBD	n/a	TBD	TBD	892
CK20/30743	QF9	413	20x8.5	47	Single	1736	1736	LT275/65R20E	298	11,050/11,750	1411	TBD	TBD	TBD	n/a	TBD	TBD	892
CK20/30903	QF9	413	20x8.5	47	Single	1736	1736	LT275/65R20E	298	10,750/11,500	1411	TBD	TBD	TBD	n/a	TBD	TBD	892
CK20/30953	QF9	413	20x8.5	47	Single	1736	1736	LT275/65R20E	298	11,100/11,850	1411	TBD	TBD	TBD	n/a	TBD	TBD	892
CK20/30943	QF9	413	20x8.5	47	Single	1736	1736	LT275/65R20E	298	11,200/11,900	1411	TBD	TBD	TBD	n/a	TBD	TBD	892
CK30903	QTZ,ZZT-AT/QQO,ZQO-ALS	384/382	17x6.5	137	Dual	1904.7	1904.7	LT235/80R17E	247	14,000	1385.8	109.5	187.8	403.8	519	205	264	881
CK30953	QTZ,ZZT-AT/QQO,ZQO-ALS	384/382	17x6.5	137	Dual	1904.7	1904.7	LT235/80R17E	247	14,000	1385.8	109.5	187.8	403.8	519	205	264	881
CK30943	QTZ,ZZT-AT/QQO,ZQO-ALS	384/382	17x6.5	137	Dual	1904.5	1904.5	LT235/80R17E	247	14,000	1385.8	109.5	187.8	403.8	519	205	264	881
CK31003	QTZ,ZZT-AT/QQO,ZQO-ALS	384/382	17x6.5	137	Dual	1745.5	1745.5	LT235/80R17E	247	14,000	1226.5/1385.8	141.5/221	216	403.8	519	207	261	892
CK31043	QTZ,ZZT-AT/QQO,ZQO-ALS	384/382	17x6.5	137	Dual	1745.5	1745.5	LT235/80R17E	247	14,000	1226.5/1385.8	141.5/221	216	403.8	519	207	261	879
CK31403	QTZ,ZZT-AT/QQO,ZQO-ALS	384/382	17x6.5	137	Dual	1745.5	1745.5	LT235/80R17E	247	14,000	1226.5/1385.8	141.5/221	216	403.8	519	207	261	886

*W/Diesel

HE = REAR 'Top of Frame' Max Curb (base equipment)


SLR = C/L REAR Axle at EPA (Avg of Min/Max Curb, base equipment)

METRIC CONVERSION TO INCHES
MM / 25.4 = INCHES

Full Size C/K HD Pickups and Chassis Cabs

PAGE 55

Fuel Tank (NM2) & Filler Location C/K 20/30903 L8T (Gas) Pickup



FUEL TANK (NM2) & FUEL FILLER LOCATION
C/K 200/300 L8T


[]=INCHES

ANF27641.4

Full Size C/K HD Pickups and Chassis Cabs

PAGE 56

DEF – Fuel Tanks (NM2) & Filler Location C/K 20/30903 L5P (Diesel) Pickup



DEF-FUEL TANK (NM2) & FUEL FILLER LOCATION
C/K 200/300 L5P


[]=INCHES

ANF27641.3

Full Size C/K HD Pickups and Chassis Cabs

PAGE 57

Fuel Tanks (NM2) & Filler Locations C/K 20/30743-53 L8T (Gas) Pickup



FUEL TANK (NM2) & FUEL FILLER LOCATION
C/K 20/30743-53 L8T


[]=INCHES

ANF27641.3

Full Size C/K HD Pickups and Chassis Cabs

PAGE 58

DEF – Fuel Tanks (NM2) & Filler Locations C/K 20/30743-53 L5P (Diesel) Pickup



FUEL TANK (NM2) & FUEL FILLER LOCATION
C/K 20/30743-53 L5P


[]=INCHES

ANF27641.3

Full Size C/K HD Pickups and Chassis Cabs

PAGE 59

Fuel Tank (N2N) & Filler Locations C/K 31003/043 L8T (Gas) Chassis Cab



FUEL TANK (N2N) & FUEL FILLER LOCATION
C/K 31003/043 L8T


[]=INCHES

ANF27641.3

Full Size C/K HD Pickups and Chassis Cabs

PAGE 60

DEF – Fuel Tank (N2N) & Filler Locations C/K 31003/043 L5P (Diesel) Chassis Cab



NOTE : When installing Upfit Bodies refer to the 'Special Applications' 'Pickup Box Removal' Section, for the zoned Fuel Fill & DEF Fill routing and positioning info.

RPO:
N2N-63.5 GALLON DUAL TANK
N2M-23.5 GALLON FRT TANK (OPT)
N2L-40.0 GALLON REAR TANK (OPT)

FUEL TANK (N2N) & FUEL FILLER LOCATION
C/K 31003/043 L5P


[]=INCHES

ANF27641.3

Full Size C/K HD Pickups and Chassis Cabs

PAGE 61

Fuel Tank (N2N) & Filler Locations C/K 31403 L8T (Gas) Chassis Cab



FUEL TANK (N2N) & FUEL FILLER LOCATION
C/K 31403 L8T(GAS)


[]=INCHES

ANF27641.3

Full Size C/K HD Pickups and Chassis Cabs

PAGE 62

DEF – Fuel Tank (N2N) & Filler Locations C/K 31403 L5P (Diesel) Chassis Cab




FUEL TANK (N2N) & FUEL FILLER LOCATION
C/K 31403 L5P(DIESEL)

[]=INCHES

ANF27641.3

FULL SIZE C/K HD PICKUPS AND CHASSIS-CABS

Exhaust System L8T (Gas) C/K 20/30 Series Pickups



EXHAUST SYSTEM L8T
CK20/30 SERIES PICKUPS

[]=INCHES


ANF42899.6

Full Size C/K HD Pickups and Chassis Cabs

PAGE 64

Exhaust System L5P (Diesel) C/K 20/30 Series Pickups

MODEL	L101
CK 207 53	3795 (149.4)
CK 207,307 43	4036 (158.9)
CK 209,309 03	3594 (141.5)
CK 209,309 43	4369 (172.0)
CK 209/309 53	4128 (162.5)



BODY MOUNTINGS COMPONENTS OR ACCESSORIES INSTALLATIONS AND CHASSIS MODIFICATIONS SHOULD NOT IMPEDE SERVICE TECHNICIAN'S ABILITY TO REMOVE AND OR SERVICE DIESEL PARTICULATE FILTER (DPF)

EXHAUST SYSTEM L5P Diesel
CK20/30 SERIES PICKUPS


[]=INCHES

ANF42899.6

PAGE	65
-------------	-----------

(SHOWN)

MODEL	L101
CK 209,309 03	3594 (141.5)
CK 209,309 43	4369 (172.0)
CK 209,309 53	4128 (162.5)




EXHAUST SYSTEM L8T
CK20/30 SERIES PICKUPS

[]=INCHES

ANF42899.6

FULL SIZE C/K HD PICKUPS AND CHASSIS-CABS


Exhaust System L5P (Diesel) C/K 20/30 Series (ZW9) Pickups



Full Size C/K HD Pickups and Chassis Cabs

PAGE 67

Exhaust System L8T (Gas) C/K 31003 Series Chassis Cab



EXHAUST SYSTEM CK 31003 L8T


[]=INCHES

ANB44495.

Full Size C/K HD Pickups and Chassis Cabs

PAGE 68


Exhaust System L5P (Diesel) C/K 31003 Series Chassis Cab



Full Size C/K HD Pickups and Chassis Cabs

PAGE 69

Exhaust System L8T (Gas) C/K 31403 Series Chassis Cab



EXHAUST SYSTEM CK31403 L8T (GAS)


[]=INCHES

ANB44495.27

Full Size C/K HD Pickups and Chassis Cabs

PAGE 70

Exhaust System L5P (Diesel) C/K 31403 Series Chassis Cab



BODY MOUNTINGS COMPONENTS OR ACCESSORIES
INSTALLATIONS AND CHASSIS MODIFICATIONS
SHOULD NOT IMPEDE SERVICE TECHNICIAN'S ABILITY
TO REMOVE AND OR SERVICE DIESEL PARTICULATE
FILTER (DPF)

EXHAUST SYSTEM CK31403 L5P (Diesel)


[]=INCHES

ANB44495.24

Full Size C/K HD Pickups and Chassis Cabs

PAGE 71

Exhaust System L8T (Gas) C/K 31403 Series Chassis Cab



EXHAUST SYSTEM CK31043 L8T (Diesel)


[]=INCHES

ANB44495.24

Full Size C/K HD Pickups and Chassis Cabs

PAGE 72

Exhaust System L5P (Diesel) C/K 31403 Series Chassis Cab



EXHAUST SYSTEM CK31043 L5P (Diesel)


[]=INCHES

ANB44495.24

Full Size C/K HD Pickups and Chassis Cabs

PAGE 73

Integrated – PTO 20/30 Series (MGU) Pickups & Chassis Cab



PTO 200/300 SERIES

[]=INCHES

ANC39733.3